

classiq

Quality and Elegance

1SXF-610007C0201 03-2008



ABB

Technical Specifications

Switches	BSEN60669, IEC60669 SS227, MS616
13A Socket Outlets	BS1363, SS145, MS589
15A Socket Outlets	BS546, SS472
Other Socket Outlets	IEC60884, BS5733



Switch 10AX
1 Way CSW101
2 Way CSW102
Intermediate CSW103



Switch 10AX
1 Way CSW201
2 Way CSW202

Switches & Sockets Outlets



Switch 10AX
1 Way CSW301
2 Way CSW302



Switch 10AX
1 Way CSW401
2 Way CSW402



Switch 10AX
1 Way CSW501
2 Way CSW502



Switch 10AX
1 Way CSW421
2 Way CSW422



Bell Switch 10A
1 Way CSW100



Push Switch 10A
1 Way CSW100P (with press marking)
1 Way CSW100N (without marking)



DP Switch with Neon
20AX w/neon CSW134
32A w/neon CSW154



DP Switch with Neon
20AX CSW134M
with "water heater"



Dimmer with 2 Way Switch
1 Gang 500W CDM211



Dimmer with 2 Way Switch
2 Gang 500W CDM411



Fan Control with 2 Way Switch
1 Gang 400VA CFS215



Fan Control with 2 Way Switch
2 Gang 400VA CFS415



Architrave Retractive Switch
10AX
(w/ bell) CSW100-A
(w/o bell) CSW100N-A



Architrave Switch
10AX
1 Way CSW101-A
2 Way CSW102-A



13A Switched Socket Outlet
(8mm) CSO113



13A Switched Socket Outlet with Neon
(8mm) CSO133



13A Unswitched Socket Outlet
(8mm) CSO123



13A Switched Socket Outlet
2 Gang (8mm) CSO213



13A Switched Socket Outlet with Neon
2 Gang(8mm) CSO233



15A Switched Socket Outlet
(8mm) CSO115
5A Switched Socket Outlet
(12mm) CSO125

Switches & Sockets Outlets



**13A RCD Switched
Socket Outlet (2 Gang)
CRS113**



**13A RCD Switched
Socket Outlet (2 Gang)
CRS213**



**16A Euro-American
Socket Outlet
(8mm) CSO127**



**16A Switched Euro-American
Socket Outlet
2 Gang (8mm) CSO227**



**16A Euro-American
Socket Outlet
Switched (8mm) CSO117**



**16A Schuko Socket Outlet
Screwed (12mm/8mm)
CSO156**



**20A Connection Unit with Flex Outlet
(12mm) CCU120
Blanking Plate (8mm) CBP100
Blanking Plate (12mm) CBP120**



**45A Connection Unit with
Flex Outlet
(12mm) CCU145**



**45A DP Switch with Neon
(8mm) CSW174**



**45A DP Switch with Neon
(8mm) CSW274**



**45A DP Switch and 13A
Switched Socket Outlet with Neon
(8mm) CCS234**



**Telephone Outlet
RJ11 (12mm) CTL126**



**Telephone Outlet
RJ11 Twin (12mm) CTL226**



**British Telephone Outlet
Master (12mm) CTL146
Secondary (12mm) CTL147**



**RJ45 Cat 5 Computer Outlet
(12mm) CTL128**




**Co-axial TV Outlet
(12mm) CTV122**



**Co-axial TV/FM Outlet
(12mm) CTV242**



**SCV Cable TV/FM Outlet 2 Gang
CTV239**




**13A Fused Connection Unit
with Neon
(8mm) CFC132**



**13A Switched Fused
Connection Unit
(8mm) CFC104**



**13A Switched Fused
Connection Unit with Neon
(8mm) CFC134**



**Moulded Surface box
(30mm) CBX122**



**Moulded Surface box
2 Gang (30mm) CBX222**



**Architrave Moulded
Surface Box
(20mm) CBX100-A**



**Shaver Unit
115/230V
20VA 50Hz
CSO289 IEC61558**

Metalclad Range



Switch 10AX
1 Way CSWM101
2 Way CSWM102
Intermediate CSWM103



Switch 10AX
1 Way CSWM201
2 Way CSWM202




Switch 10AX
1 Way CSWM301
2 Way CSWM302



20A DP Switch with Neon
20A CSWM134



13A Switched Socket Outlet
CSOM113



13A Switched Socket Outlet
2 Gang CSOM213



13A RCD Switched Socket Outlet
CRSM113



13A RCD Switched Socket Outlet 2 Gang
CRSM213



15A Switched Socket Outlet
CSOM115



Metal Surface Box
1 Gang CBXM122



Metal Surface Box
2 Gang CBXM222

Modules

To be ordered on special request



1 Gang Front Plate
CMP001



2 Gang Front Plate with Earth-strap
CMP008




3 Gang Front Plate
CMP003



4 Gang Front Plate with Earth-strap
CMP009



5 Gang Front Plate
CMP005



4 Gang Front Plate
CMP006



1 Gang Architrave Front Plate
CMP007



10A Retractive Switch Module
CMR101



10AX 1 Way Switch Module
CMS101



10AX 2 Way Switch Module
CMS103



Red Neon Module
CMN001



Green Neon Module
CMN002



20A DP Switch Module
CMS214



Dimmer Modules 500W
CMD045



Fan Control Modules 400VA
CMF045

Other Accessories

Extension Socket Outlet

Order Code Description

Technical Specification

Rated Voltage	250V~
Rated Current	13A max
Standard	BS1363/A MS589/A SS145/A
Cable Size	3m ×1.25mm ² 3 core PVC/PVC cable
Surge Voltage	775V 8/20μs
Surge Current	4500A 8/20μs

Multicolor plugs available separately



Ceiling Devices




Weatherproof Devices




Circuit Connection Diagrams


One-Way Switch



Rotary Dimmer




Two-Way Switch




Note: Lamps connected in parallel can be incandescent lamps, 230V Halogen lamps, 12V Halogen lamps and fluorescent lamps.


Retractive Switch




Intermediate Switch




1 Gang TV Outlet




Double-pole One-Way Switch




TV / FM Outlet




Dimmer with Switch




Fan Control with Switch




Connection Unit



Switched Socket Outlet




Telephone Outlet - RJ11




Wiring Colour Code		
Pin Number	Base Colour	Indication
1	-	-
2	Black	Earth
3	Red	L2
4	Green	L1
5	Yellow	Spare
6	-	-

Telephone Outlet - BT



Wiring Colour Code	
Pin Number	Base Colour / Stripe
1	Green / White
2	Blue / White
3	Orange / White
4	White / Orange
5	White / Blue
6	White / Green

Computer Outlet - RJ45



Wiring Colour Code		
Pin Number	EIA-T568A Wire Colour	EIA-T568B Wire Colour
1	White / Green	White / Orange
2	Green	Orange
3	White / Orange	White / Green
4	Blue	Blue
5	White / Blue	White / Blue
6	Orange	Green
7	White / Brown	White / Brown
8	Brown	Brown